





### Components of Containment



S/N	Name
1	Rack
2	Aisle door
3	Roof ceiling

### Row-based containment kit



Model	Description
NTSG6142KIT	NTSG6142KIT include 2pcs of SSG6142, roof ceiling
NTSG8142KIT	NTSG8142KIT include 2pcs of SSG8142, roof ceiling

Remark: Other sizes and other types of rack are available.






### Sliding Doors

Manual mode, semi-automatic, full-automatic mode

Model	Description
NTSD-1222CG	Full-automatic mode Material:8mm toughened glass, with TCP/IP door access locking system

### How to Define Our Model

#### NTSD1222AG



### Roof ceiling



Model	Description
NTTC-0612AG	Include rotary roof ceiling, external decoration panel and fixed plate

**Note:**Height of decoration panel and fixed plate only have 200mm and 300mm.



## Top Cabling Accessories



Cable Ladder



Shielding Trough



Shielding Partitions

**Standards:**

IEC 297-1, 19" Mounting, IEC 297-2 Overall Cabinet Dimensions, EN 61587-1:2012 Mechanical Structures for Electronic Equipment, UL certified

Model	Description
NTMCABLETRAY600	23.6"(600mm)W Power Shielding Trough, For 23.6"(600mm)W rack
NTMCABLETRAY800	31.5"(800mm)W Power Shielding Trough, For 31.5"(800mm)W rack
NTNCABLETRAY600	23.6"(600mm)W Data Shielding Partition, For 23.6"(600mm)W rack
NTNCABLETRAY800	31.5"(800mm)W Data Shielding Partition, For 31.5"(800mm)W rack

Note: Height of decoration panel and fixed plate only have 200mm and 300mm.